



14252 Culver Dr. 914
Irvine CA 92604
t 714 368 9753 f 714 368 9723
www.patentmatrix.com

February 23, 2006

bazim@patentmatrix.com

FAX COVER SHEET

To:	Office of Patent Publication	From:	HAZIM ANSARI
Fax:	(703) 748-4000 571-273-288		
Phone:	Pages: 5 (INCLUDING COVER)		
Re:	Resend Response to Notification of	CC:	
Inconsistency			
<input type="checkbox"/> Urgent <input type="checkbox"/> For Review <input type="checkbox"/> Please Comment <input type="checkbox"/> Please Reply <input type="checkbox"/> Please Recycle			

APPLICATION NO: 10/797,324
FILING DATE: March 10, 2004
FIRST NAMED INVENTOR: Peter Steven Bui
DOCKET NO.: UDT103.ORD

This response to the Notification of Inconsistency is being resent. It was originally sent on February 17, 2006. A confirmation reply fax from the USPTO was not received.



O P E
Feb 24 2006 06:15p

PATENTMETRIX

7143689723

p. 4

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/797,324	03/10/2004	Peter Steven Bui	UDT103.ORD	4264
29484	7590	01/19/2006		
PATENTMETRIX 14252 CULVER DR. BOX 914 IRVINE, CA 92604				EXAMINER QUINTO, KEVIN V
				ART UNIT 2826 PAPER NUMBER

DATE MAILED: 01/19/2006

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND
DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

The drawings filed 8-29-04 have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.

Figures _____ are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.

Figures 6d are contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.

Applicant is required to correct the above-noted inconsistency within a time period of **ONE MONTH or THIRTY (30) DAYS**, whichever is longer, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. **NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b)**

Failure to correct the above noted inconsistency will result in abandonment of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

Return Corrected Drawings/Specification to:

Mail Stop Issue Fee
Commissioner for Patents
P.O. Box 1450

Alexandria, VA 22313-1450

Office of Patent Publication/Publishing Division
Customer Service: 703-308-6789
1-888-786-0101

FORM PTO-1631 (REV. 10-03)